

Peiline®



燊燊智能流体科技
ShenShen Intelligent Fluid Technology

标准式样 SBE
standard style



SBE03 06 08 11 19

插座与插头/Sockets and plugs

应用领域/Application area

气体/Gas: 氢气/Hydrogen gas、氩气/Argon gas、氮气/Nitrogen gas、氦气/Helium gas
 蒸汽/Steam
 液体/Liquid
 高压/High pressure
 真空应用/Vacuum application
 满足各个工业行业和研究领域的应用要求
 To meet the application requirements of various industrial sectors and research fields

更高效/More efficient

SBE系列全流体快速接头保证了最佳流量，效率更高
 SBE series full fluid quick connection ensures the best flow rate and higher efficiency

技术特点/technical characteristics

型号/Model		SBE03	SBE06	SBE08	SBE11	SBE19
通径/Bore diameter		3	6	8	11	19
最高工作压力 Max. working pressure (bar)	304/316不锈钢 304/316Stainless steel	50	50	50	50	50
	高强度不锈钢 High Strength Stainless Steel	400	450	400	350	300

SBE

工作温度/Working temperatures


密封圈材质 Seal ring material	氟素橡胶 FKM Fluorocarbon	三元乙丙橡胶EPDM Ethylene-Propylene	全氟橡胶FFKM High fluorine rubber
使用温度 Service temperature	-15°C到+200°C	-20°C到+150°C	-20°C到+300°C

7种安全锁销/7 kinds of safety lock pin



颜色/Color		角度/Angle	编码/Coging
	黄色	180°	0
	紫色	165°	15
	红色	150°	3
	绿色	135°	45
	蓝色	120°	6
	栗色	105°	75
	黑色	90°	9

内螺纹的插座
Socket outlet with internal thread




SBE

型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L	ΦD	H	
SBE03	G1/8	44	16	14	SBE03.1100
	G1/4				SBE03.1101
	NPT1/8				SBE03.1200
	NPT1/4				SBE03.1201
	UN7/16-20				SBE03.1311
SBE06	G1/8	60	26	23	SBE06.1100
	G1/4				SBE06.1101
	G3/8				SBE06.1102
	G1/2				SBE06.1103
	NPT1/8				SBE06.1200
	NPT1/4				SBE06.1201
	NPT3/8				SBE06.1202
	NPT1/2			25	SBE06.1203
	UN9/16-18			23	SBE06.1314
SBE08	G1/4	78	31.5	27	SBE08.1101
	G3/8				SBE08.1102
	G1/2				SBE08.1103
	NPT1/4				SBE08.1201
	NPT3/8				SBE08.1202
	NPT1/2				SBE08.1203
	UN3/4-16				SBE08.1319

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS

内螺纹的插座
Socket outlet with internal thread




SBE

型号 Mould	尺 寸 Dimensions(mm)				零件号 Part-number
	F	L	ΦD	H	
SBE11	G3/8	77	38	35	SBE11.1102
	G1/2	85			SBE11.1103
	G3/4				SBE11.1104
	NPT3/8	77			SBE11.1202
	NPT1/2	85			SBE11.1203
	NPT3/4				SBE11.1204
	UN7/8-14				SBE11.1322
SBE19	G3/4	119	55	46(两面)	SBE19.1104
	G1				SBE19.1105
	NPT3/4				SBE19.1204
	NPT1				SBE19.1205
	UN1 5/16-12				SBE19.1333

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS

外螺纹的插座
Socket with Male thread




SBE

型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	L	L1	ΦD	H	
SBE03	G1/8	42.5	8	16	14	SBE03.1150
	G1/4	46.5	12			SBE03.1151
	NPT1/8	42.5	8			SBE03.1250
	NPT1/4	46.5	12			SBE03.1251
SBE06	G1/8	56	8	26	23	SBE06.1150
	G1/4	59	11			SBE06.1151
	G3/8	60	12			SBE06.1152
	G1/2	62	14			SBE06.1153
	NPT1/8	56	8			SBE06.1250
	NPT1/4	59	11			SBE06.1251
	NPT3/8	60	12			SBE06.1252
	NPT1/2	62	14			SBE06.1253
SBE08	G1/4	70	11	31.5	27	SBE08.1151
	G3/8	71	12			SBE08.1152
	G1/2	73	14			SBE08.1153
	NPT1/4	70	11			SBE08.1251
	NPT3/8	71	12			SBE08.1252
	NPT1/2	73	14			SBE08.1253

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS

外螺纹的插座
Socket with Male thread




SBE

型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	L	L1	ΦD	H	
SBE11	G3/8	81	12	38	35	SBE11.1152
	G1/2	83	14			SBE11.1153
	G3/4	85	16			SBE11.1154
	NPT3/8	81	12			SBE11.1252
	NPT1/2	83	14			SBE11.1253
	NPT3/4	85	16			SBE11.1254
SBE19	G3/4	118.5	16	55	46(两面)	SBE19.1154
	G1	121	18.5			SBE19.1155
	NPT3/4	118.5	16			SBE19.1254
	NPT1	121	18.5			SBE19.1255

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS

连接橡胶软管的插座
Socket for connecting rubber hoses



SBE


型号 Mould	尺 寸 Dimensions(mm)					零件号 Part-number
	Φi	L	L1	ΦD	H	
SBE03	4	56.5	23	16	14	SBE03.1804
	6					SBE03.1806
SBE06	6	71	23	26	23	SBE06.1806
	8	76	28			SBE06.1808
	10					SBE06.1810
	13	81	33			SBE06.1813
SBE08	8	87	28	31.5	27	SBE08.1808
	10					SBE08.1810
	13	92	33			SBE08.1813
	16					SBE08.1816
SBE11	8	97	28	38	35	SBE11.1808
	10					SBE11.1810
	13	102	33			SBE11.1813
	16					SBE11.1816
	19					SBE11.1819
SBE19	19	122	53	55	46(两面)	SBE19.1819
	25	138	53			SBE19.1825

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS

连接塑料管的插座
Socket for connecting Plastic pipe




SBE



型号 Mould	Hose I.D.(mm)	尺寸 Dimensions(mm)			零件号 Part-number
	φi/φd	L	φD	H	
SBE03	4/6	46.5	16	14	SBE03.1904
	6/8	49.5			SBE03.1906
SBE06	6/8	63	26	23	SBE06.1906
	8/10	65			SBE06.1908
SBE08	8/10	76	31.5	27	SBE08.1908
	10/12	77			SBE08.1910

注：带截止阀的型号后加/OD,不带截止阀的型号后加/OS
Note: Models with globe valves are added with /OD, models without globe valves are added with /OS


内螺纹的插头-全流量 Female thread plugs-Full flow



SBE

型号 Mould	尺寸 Dimensions(mm)			零件号 Part-number
	F	L	H	
SBE03	G1/8	52	14	SBE03.6100
	NPT1/8			SBE03.6200
SBE06	G1/8	74	21	SBE06.6100
	G1/4			SBE06.6101
	G3/8			SBE06.6102
	NPT1/8			SBE06.6200
	NPT1/4			SBE06.6201
	NPT3/8			SBE06.6202
	UN9/16-20			SBE06.6315
SBE08	G1/4	85	21	SBE08.6101
	G3/8			SBE08.6102
	G1/2			SBE08.6103
	NPT1/4			SBE08.6201
	NPT3/8			SBE08.6202
	NPT1/2			SBE08.6203
SBE11	G1/4	89.5	29	SBE11.6101
	G3/8			SBE11.6102
	G1/2	91.5		SBE11.6103
	G3/4			SBE11.6104
	NPT3/8	89.5		SBE11.6202
	NPT1/2			SBE11.6203
	NPT3/4	91.5		SBE11.6204
SBE19	G3/4	138	41	SBE19.6104
	NPT3/4			SBE19.6204
	NPT1			SBE19.6205


内螺纹的插头-自封式 Female thread plugs-Self-sealing type



型 号 Mould	尺 寸 Dimensions(mm)			零 件 号 Part-number
	F	L	H	
SBE03	G1/8	52	14	SBE03.7100
	NPT1/8			SBE03.7200
	UN7/16-20		15	SBE03.7311
SBE06	G1/8	74	21	SBE06.7100
	G1/4			SBE06.7101
	G3/8			SBE06.7102
	NPT1/8			SBE06.7200
	NPT1/4			SBE06.7201
	NPT3/8			SBE06.7202
	UN9/16-18			SBE06.7314
SBE08	G1/4	85	24	SBE08.7101
	G3/8			SBE08.7102
	G1/2			SBE08.7103
	NPT1/4			SBE08.7201
	NPT3/8			SBE08.7202
	NPT1/2			SBE08.7203
	UN3/4-16			SBE08.7319
SBE11	G3/8	89.5	29	SBE11.7102
	G1/2	91.5		SBE11.7103
	G3/4			SBE11.7104
	NPT3/8	89.5		SBE11.7202
	NPT1/2	91.5		SBE11.7203
	NPT3/4			SBE11.7204
SBE19	G3/4	138	41	SBE19.7104
	NPT3/4			SBE19.7204
	NPT1			SBE19.7205
	UN1 5/16-12			SBE19.7333

SBE

外螺纹的插头-全流量 Male thread plugs-Full flow




SBE

型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L	L1	H	
SBE03	G1/8	50	8	14	SBE03.6150
	G1/4	52	10		SBE03.6151
	NPT1/8	50	8		SBE03.6250
	NPT1/4	52	10		SBE03.6251
SBE06	G1/8	70	8	19	SBE06.6150
	G1/4	73	11		SBE06.6151
	G3/8	74	12	21(两面)	SBE06.6152
	NPT1/8	70	8	19	SBE06.6250
	NPT1/4	73	11		SBE06.6251
	NPT3/8	74	12	21	SBE06.6252
	UN9/16-20		12		SBE06.6315
SBE08	G1/4	84	11	24	SBE08.6151
	G3/8	83	10		SBE08.6152
	G1/2	87	14		SBE08.6153
	NPT1/4	84	11		SBE08.6251
	NPT3/8	83	10		SBE08.6252
	NPT1/2	87	14		SBE08.6253
SBE11	G3/8	97	12	29	SBE11.6152
	G1/2	99	14		SBE11.6153
	G3/4	101	16	35	SBE11.6154
	NPT3/8	97	12	29	SBE11.6252
	NPT1/2	99	14		SBE11.6253
	NPT3/4	101.5	16.5		SBE11.6254
SBE19	G3/4	138	16	41	SBE19.6154
	G1	140.5	18.5		SBE19.6155
	NPT3/4	138	16		SBE19.6254
	NPT1	140.5	18.5		SBE19.6255

外螺纹的插头-自封式


Male thread plugs-Self-sealing type



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L	L1	H	
SBE03	G1/8	50	8	14	SBE03.7150
	G1/4	52	10		SBE03.7151
	NPT1/8	50	8		SBE03.7250
	NPT1/4	52	10		SBE03.7251
SBE06	G1/8	70	8	19	SBE06.7150
	G1/4	73	11		SBE06.7151
	G3/8	74	12	21(两面)	SBE06.7152
	NPT1/8	70	8	19	SBE06.7250
	NPT1/4	73	11		SBE06.7251
	NPT3/8	74	12	21	SBE06.7252
SBE08	G1/4	84	11	24	SBE08.7151
	G3/8	83	10		SBE08.7152
	G1/2	87	14		SBE08.7153
	NPT1/4	84	11		SBE08.7251
	NPT3/8	83	10		SBE08.7252
	NPT1/2	87	14		SBE08.7253
SBE11	G3/8	97	12	29	SBE11.7152
	G1/2	99	14		SBE11.7153
	G3/4	101	16	35	SBE11.7154
	NPT3/8	97	12	29	SBE11.7252
	NPT1/2	99	14		SBE11.7253
	NPT3/4	101.5	16.5		SBE11.7254
SBE19	G3/4	138	16	41	SBE19.7154
	G1	140.5	18.5		SBE19.7155
	NPT3/4	138	16		SBE19.7254
	NPT1	140.5	18.5		SBE19.7255

SBE


连接橡胶软管的插头-全流量
Plugs for connecting rubber hoses-Full flow



SBE

型号 Mould	尺 寸 Dimensions(mm)				零件号 Part-number	
	Φi	L	L1	H		
SBE03	4	65	23	14	SBE03.6804	
	6				SBE03.6806	
SBE06	4	85	23	21	SBE06.6804	
	6				SBE06.6806	
	8				SBE06.6808	
	10	90	28		SBE06.6810	
	13	95	33		SBE06.6813	
SBE08	6	96	23	24	SBE08.6806	
	8				SBE08.6808	
	10	101	28		SBE08.6810	
	13	106	33		SBE08.6813	
	16				SBE08.6816	
SBE11	6	108	23	29	SBE11.6806	
	8				SBE11.6808	
	10	113	28		SBE11.6810	
	13	118	33		SBE11.6813	
	16				SBE11.6816	
	19				SBE11.6819	
SBE19	19	175	53	41	SBE19.6819	
	25				SBE19.6825	

连接橡胶软管的插头-自封式
Plugs for connecting rubber hoses-Self-sealing type




SBE

型 号 Mould	尺 寸 Dimensions(mm)				零 件 号 Part-number
	Φi	L	L1	H	
SBE03	4	65	23	14	SBE03.7804
	6				SBE03.7806
SBE06	6	85	23	21	SBE06.7806
	8				SBE06.7808
	10	90	28		SBE06.7810
	13	95	33		SBE06.7813
SBE08	8	96	23	24	SBE08.7808
	10	101	28		SBE08.7810
	13	106	33		SBE08.7813
	16				SBE08.7816
SBE11	13	118	33	29	SBE11.7813
	16				SBE11.7816
	19				SBE11.7819
SBE19	19	175	53	41	SBE19.7819
	25				SBE19.7825

连接塑料管的插头-全流量
Plugs for Connecting plastic pipe-Full flow



SBE




型号 Mould	Hose I.D.(mm)	尺寸 Dimensions(mm)		零件号 Part-number
	φi/φd	L	H	
SBE03	4/6	49	14	SBE03.6904
	6/8	57		SBE03.6906
SBE06	4/6	74	21	SBE06.6904
	6/8	77		SBE06.6906
	8/10	79		SBE06.6908
SBE08	8/10	90	24	SBE08.6908
	10/12	92		SBE08.6910

连接塑料管的插头-自封式
Plugs for Connecting plastic pipe-Self-sealing type



SBE



型号 Mould	Hose I.D.(mm)	尺寸 Dimensions(mm)		零件号 Part-number
	φi/φd	L	H	
SBE03	4/6	49	14	SBE03.7904
	6/8	57		SBE03.7906
SBE06	4/6	74	21	SBE06.7904
	6/8	77		SBE06.7906
	8/10	79		SBE06.7908
SBE08	8/10	90	24	SBE08.7908
	10/12	92		SBE08.7910

Peiline®



- 1、产品最终尺寸和外观以实样为准。
Final dimension and apperance subject to actual product.
- 2、任何产品技术与工艺上的改进不能及时通知到你，敬请谅解。
We appreciate your understanding to us in case of some technology and product process improvements not inform you in time.

浙江樂樂智能流体科技有限公司

ZHEJIANG SHENSHEN INTELLINGEN TFLUID TECHNOLOGY CO.,LTD

诸暨爱克圣兰模具有限公司

ZHUJI EXCELLENT MOULD CO.,LTD

地址：浙江省诸暨市兴农路9号友地智能视觉产业园28幢A座

Add: Building A, No.28, UD Intelligent Vision Industrial Park.

No.9. Xinong Road.Zhuji City. Zhejiang. China

Tel: 0575-87958839

Fax: 0575-87958837

Mail: hzpeilin@126.com

hzaksl@126.com

Web: www.peiline.com