


Peiline®



粵粵智能流体科技
ShenShen Intelligent Fluid Technology

标准式样 SMI
standard style



SMI06 09 12 16 20 25 37
截止阀/SINGLE OR DOUBLE SHUT-OFF

SMI



螺纹推荐拧紧力矩 / Recommended tightening torque(N.M)

螺纹/Thread				拧紧力矩 tightening torque (N.M)
G1/8	NPT1/8	PT1/8	R1/8	15
G1/4	NPT1/4	PT1/4	R1/4	30
G3/8	NPT3/8	PT3/8	R3/8	30
G1/2	NPT1/2	PT1/2	R1/2	50
G3/4	NPT3/4	PT3/4	R3/4	50
G1	NPT1	PT1	R1	50
G1 1/4	NPT1 1/4	PT1 1/4	R1 1/4	60
G1 1/2	NPT1 1/2	PT1 1/2	R1 1/2	60

技术特点 / Technical characteristics

型号/Model	SMI06	SMI09	SMI12	SMI16	SMI20	SMI25	SMI37
通径/Bore diameter	6	9	12	16	20	25	37
工作压力/Working pressure(bar)	16	16	16	16	16	16	16
工作温度/Working temperatures(° C)	-10 ~ +150° C						


更多工作环境的需求请联系我们
For more information about working condition. Let us know freely.

SMI20 25 37
色环标识 / Color ring identification


用蓝色环的在零件号后加 /KB
With blue ring add /KB to the part number

用红色环的在零件号后加 /KR
With red ring add /KR to the part number

软管插座 Sockets for hoses






SMI



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	Φi	ΦD	L1	L2	
SMI06	8	19	60	23	SMI06.1808/JV
SMI09	12	25	69.5	28	SMI09.1812/JV
SMI12	16	31	82	28	SMI12.1816/JV
SMI16	19	38	108.5	33	SMI16.1819/JV



90° 软管插座 Sockets 90° for hoses



型号 Mould	尺寸 Dimensions(mm)						零件号 Part-number
	Φi	ΦD	L1	L2	L3	L4	
SMI06	8	19	57.5	23	40	48	SMI06.1808/JV/RE
SMI09	10	25	65.5	23	47	54.5	SMI09.1810/JV/RE
	12	25	65.5	28	55	54.5	SMI09.1812/JV/RE

内螺纹插座

Sockets female thread




SMI

型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	ØD	L1	H	
SMI06	G1/4	19	46	17	SMI06.1101/JV
	NPT1/4	19	45	17	SMI06.1201/JV
SMI09	G3/8	25	53	22	SMI09.1102/JV
	NPT3/8	25	51	22	SMI09.1202/JV
SMI12	G1/2	31	67	27	SMI12.1103/JV
	NPT1/2	31	65	27	SMI12.1203/JV
SMI16	G3/4	38	90.5	35	SMI16.1104/JV
	NPT3/4	38	88.5	35	SMI16.1204/JV



内螺纹插座

Sockets female thread



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	ØD	L1	H	
SMI20	G3/4	19	46	17	SMI20.1104/EA/JV
	G1	19	45	17	SMI20.1105/EA/JV
	NPT1	25	53	22	SMI20.1205/EA/JV
SMI25	G1	25	51	22	SMI25.1105/EA/JV
	NPT1 1/4	31	67	27	SMI25.1206/EA/JV



90° 内螺纹插座
Sockets 90° female thread



SMI

型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	ΦD	L1	L3	L4	
SMI06	G1/4	19	57.5	15	48	SMI06.1101/JV/RE
	NPT1/4	19	57.5	15	48	SMI06.1201/JV/RE
SMI09	G3/8	25	65.5	20	54.5	SMI09.1102/JV/RE
	NPT3/8	25	65.5	20	54	SMI09.1202/JV/RE
SMI12	G1/2	31	81.5	25	68	SMI12.1103/JV/RE
	NPT1/2	31	81.5	25	67	SMI12.1203/JV/RE


135° 内螺纹插座
Sockets 135° female thread



型号 Mould	尺寸 Dimensions(mm)						零件号 Part-number
	F	ΦD	L1	L2	L3	L4	
SMI06	G1/4	19	58	12	25	42.5	SMI06.1101/JV/RO


外螺纹插座
Sockets male thread

SMI



型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	ØD	L1	L2	H	
SMI06	G1/4	19	55	10	17	SMI06.1151/JV
SMI09	G3/8	25	61	10	22	SMI09.1152/JV
SMI12	G1/2	31	72	12	27	SMI12.1153/JV
SMI16	G3/4	38	90.5	14	35	SMI16.1154/JV

外螺纹插座
Sockets male thread





型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	ØD	L1	L2	H	
SMI20	G1	52	129	17.5	42	SMI20.1155/JV
SMI25	G1 1/4	58	139	18.5	50	SMI25.1156/JV
	NPT1 1/4	58	143.5	24.5	50	SMI25.1256/JV

90° 外螺纹插座
Sockets 90° male thread



SMI




型号 Mould	尺寸 Dimensions(mm)							零件号 Part-number
	F	ΦD	L1	L2	L3	L4	H	
SMI06	G1/4	19	58	9	30	48	17	SMI06.1151/JV/RE
SMI09	G3/8	25	66.5	10	40	54.5	21	SMI09.1152/JV/RE
SMI12	G1/2	31	81.5	12	47	68	27	SMI12.1153/JV/RE

外螺纹插头
Plug male thread




SMI



型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	ΦD	L1	L2	H	
SMI06	R1/8	10	31	7.5	5	SMI06.6160
	NPT1/8	11	31	10	5	SMI06.6250
	R1/4	14	35	13	5	SMI06.6161
	NPT1/4	14	35	13	5	SMI06.6251
SMI09	R1/4	14	33	10	8	SMI09.6161
	NPT1/4	14	34	11	8	SMI09.6251
	R3/8	17	36	11	8	SMI09.6162
	NPT3/8	17	36	11	8	SMI09.6252
SMI12	R3/8	18	39	13	10	SMI12.6162


外螺纹插头 Sockets male thread



SMI

型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI12	NPT3/8	64.5	13	24	SMI12.6252
	R1/2	44	16	22	SMI12.6163
	NPT1/2	44	16	22	SMI12.6253
SMI16	R3/4	63	16.5	27	SMI16.6164

外螺纹插头 Plug male thread




型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI09	G1/2	37	12	22	SMI09.6153
SMI12	G3/4	46	16	27	SMI12.6154

内螺纹插头
Plug female thread




SMI



型号 Mould	尺寸 Dimensions(mm)			零件号 Part-number
	F	L1	H	
SMI06	G1/4	34	17	SMI06.6101
	NPT1/4	47	17	SMI06.6201
SMI09	G3/8	37	22	SMI09.6102
	NPT3/8	49	22	SMI09.6202
SMI12	G1/2	45	27	SMI12.6103
	NPT1/2	67	27	SMI12.6203
SMI16	G3/4	58	32	SMI16.6104
	NPT3/4	80	32	SMI16.6204
SMI20	G1	92	41	SMI20.6105/EA
SMI25	G1	100	41	SMI25.6105/EA


软管插头
Straight plug for hose



SMI

型号 Mould	尺寸 Dimensions(mm)			零件号 Part-number
	ϕi	L1	L2	
SMI16	19	65	28.5	SMI16.6819


外螺纹插头
Plug male thread



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI06	G1/8	45	7	17	SMI06.7150/JV
	G1/4	45	9	17	SMI06.7151/JV
SMI09	G1/4	51	9	19	SMI09.7151/JV
	G3/8	48	10	20	SMI09.7152/JV
SMI12	G3/8	63.5	10	24	SMI12.7152/JV
	G1/2	62	12	24	SMI12.7153/JV
SMI16	G3/4	81	14	32	SMI16.7154/JV


外螺纹插头
Plug male thread

SMI



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI20	G1	138.5	17.5	42	SMI20.7155/EA/JV
SMI25	G1 1/4	151.5	18.5	50	SMI25.7156/EA/JV

外螺纹插头
Plug male thread





型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI09	G1/2	37	12	22	SMI09.7153/JV
SMI12	G3/4	46	16	27	SMI12.7154/JV
SMI16	G1	62	24	32	SMI16.7155/JV

NPT外螺纹插头
Plug NPT male thread




SMI



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI06	NPT1/8	46	10	17	SMI06.7250/JV
	NPT1/4	46	11	17	SMI06.7251/JV
SMI09	NPT1/4	52	13	19	SMI09.7251/JV
	NPT3/8	48.5	13	19	SMI09.7252/JV
SMI12	NPT3/8	62	13	24	SMI12.7252/JV
	NPT1/2	62	15	24	SMI12.7253/JV
SMI16	NPT3/4	81	19	32	SMI16.7254/JV


NPT外螺纹插头
Plug NPT male thread

SMI



型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI25	NPT1 1/2	156	24.5	50	SMI25.7257/EA/JV

内螺纹插头
Plug female thread





型号 Mould	尺寸 Dimensions(mm)			零件号 Part-number
	F	L1	H	
SMI06	G1/4	47	17	SMI06.7101/JV
	NPT1/4	47	17	SMI06.7201/JV
SMI09	G1/4	48.5	19	SMI09.7101/JV
	NPT1/4	48.5	19	SMI09.7201/JV
	G3/8	49	22	SMI09.7102/JV
SMI12	NPT1/2	85	27	SMI12.7203/JV
SMI16	G3/4	81	32	SMI16.7104/JV
	NPT3/4	81	32	SMI16.7204/JV

内螺纹插头
Plug female thread






SMI



型号 Mould	尺寸 Dimensions(mm)			零件号 Part-number
	F	L1	H	
SMI20	G3/4	126.5	42	SMI20.7104/EA/JV
	G1	126.5	42	SMI20.7105/EA/JV
	NPT1	129.5	42	SMI20.7205/EA/JV
SMI25	G1	148.5	50	SMI25.7105/EA/JV
	G1 1/4	148.5	50	SMI25.7106/EA/JV
	NPT1 1/4	145.5	50	SMI25.7206/EA/JV

外螺纹插头 Plug male thread

SMI





型号 Mould	尺寸 Dimensions(mm)						零件号 Part-number
	F	ΦD1	ΦD	L2	L4	H	
SMI06	G1/8或R1/8	20	10	9	26	5	SMI06.6160
	NPT1/8	20	11	9	28	5	SMI06.6250
	G1/4或R1/4	20	14	12	27	5	SMI06.6161
	NPT1/4	20	14	13	27	5	SMI06.6251
SMI09	G1/4或R1/4	26	14	12	26	8	SMI09.6161
	NPT1/4	26	14	13	26	8	SMI09.6251
	G3/8或R3/8	26	17	13	28	8	SMI09.6162
	NPT3/8	26	17	13	28	8	SMI09.6252
SMI12	G3/8或R3/8	33	18	13	31	10	SMI12.6162
	NPT3/8	36		11	55	24	SMI12.6252
	G1/2或R1/2	33		15	34	22	SMI12.6163
	NPT1/2	33		15	34	22	SMI12.6253
SMI16	G3/4或R3/4	40		19	50	27	SMI16.6164

外螺纹插头
Plug male thread



SMI





型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	$\phi D1$	L2	L4	H	
SMI06	G1/8	26	9	41	17	SMI06.7150/JV
	G1/4	26	12	38	17	SMI06.7151/JV
SMI09	G1/4	29	12	44	19	SMI09.7151/JV
	G3/8	29	13	40	20	SMI09.7152/JV
SMI12	G3/8	36	13	56	24	SMI12.7152/JV
	G1/2	36	15	52	24	SMI12.7153/JV
SMI16	G3/4	46	16	70	32	SMI16.7154/JV

NPT外螺纹插头
Plug NPT male thread





SMI



型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	$\phi D1$	L2	L4	H	
SMI06	NPT1/8	26	9	42	17	SMI06.7250/JV
	NPT1/4	26	13	38	17	SMI06.7251/JV
SMI09	NPT1/4	29	13	44	19	SMI09.7251/JV
	NPT3/8	29	13	40	19	SMI09.7252/JV
SMI12	NPT3/8	36	13	56	24	SMI12.7252/JV
	NPT1/2	36	15	52	24	SMI12.7253/JV
SMI16	NPT3/4	46	16	70	32	SMI16.7254/JV

外螺纹插头

Plug male thread




SMI

型号 Mould	尺寸 Dimensions(mm)				零件号 Part-number
	F	L1	L2	H	
SMI37	NPT1 1/2	169	24.5	70	SMI37.7257/EA/JV
	NPT2	170	25.5	70	SMI37.7258/EA/JV
	G1 1/2	165.5	21	70	SMI37.7157/EA/JV
	G2	169.5	25	70	SMI37.7158/EA/JV

外螺纹插座

Sockets male thread



型号 Mould	尺寸 Dimensions(mm)					零件号 Part-number
	F	ØD1	L1	L2	H	
SMI37	NPT1 1/2	105	211	24.5	70	SMI37.1257/EA/JV
	NPT2	105	212	25.5	70	SMI37.1258/EA/JV
	G1 1/2	105	208	21	70	SMI37.1157/EA/JV
	G2	105	212	25	70	SMI37.1158/EA/JV

Peiline®



- 1、产品最终尺寸和外观以实样为准。
Final dimension and apperance subject to actual product.
- 2、任何产品技术与工艺上的改进不能及时通知到你，敬请谅解。
We appreciate your understanding to us in case of some technology and product process improvements not inform you in time.

浙江樂樂智能流体科技有限公司

ZHEJIANG SHENSHEN INTELLINGEN TFLUID TECHNOLOGY CO.,LTD

诸暨爱克圣兰模具有限公司

ZHUJI EXCELLENT MOULD CO.,LTD

地址：浙江省诸暨市兴农路9号友地智能视觉产业园28幢A座

Add: Building A, No.28, UD Intelligent Vision Industrial Park.

No.9. Xinong Road.Zhuji City. Zhejiang. China

Tel: 0575-87958839

Fax: 0575-87958837

Mail: hzpeilin@126.com

hzaksl@126.com

Web: www.peiline.com