

Peiline®



燊燊智能流体科技
ShenShen Intelligent Fluid Technology


连接配件
Connection Accessories



MAM

带有60° 锥度的G牙外螺纹*带有60° 锥度的G牙外螺纹

G External threads with 60° taper*G External threads with 60° taper




铜 Brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/4	G1/4	420	30	11	11	5.5	5.5	17	MAM151.151/LN
	G3/8	G3/8	350	32	12	12	8	8	21	MAM152.152/LN
	G1/2	G1/2	310	36	14	14	11	11	24	MAM153.153/LN
	G3/4	G3/4	250	42	16	16	17	17	30	MAM154.154/LN
	G1	G1	200	53	20	20	22.5	22.5	38	MAM155.155/LN
	G1 1/4	G1 1/4	200	62	21	21	28.5	28.5	50	MAM156.156/LN
	G1 1/2	G1 1/2	180	60	21	21	33	33	54	MAM157.157/LN
	G2	G2	150	67	26	26	46	46	70	MAM158.158/LN

连接配件

带有60° 锥度的G牙外螺纹*带有60° 锥度的G牙外螺纹
G External threads with 60° taper*G External threads with 60° taper




镀锌钢 Zinc plated steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/8	G1/8	440	21	8	8	4	4	14	MAM150.150
	G1/4	G1/8	420	28	12	10	5.5	4	19	MAM151.150
		G1/4	420	31	11	11	5.5	5.5	19	MAM151.151
	G3/8	G1/8	350	31.5	13.5	10	8	4	22	MAM152.150
		G1/4	350	34.2	13.5	11	8	5.5	22	MAM152.151
		G3/8	350	35	13.5	13.5	8	8	22	MAM152.152
	G1/2	G3/8	310	36.5	14	12	11	8	27	MAM153.152
		G1/2	310	42	14	14	11	11	27	MAM153.153
	G3/4	G1/2	250	45	16	13.5	17	11	32	MAM154.153
		G3/4	250	47.3	16	16	17	17	32	MAM154.154
	G1	G3/4	200	50	20.5	16	22.5	17	41	MAM155.154
		G1	200	54.3	20.5	20.5	22.5	22.5	41	MAM155.155
	G1 1/4	G1	200	58	20	20.5	28.5	22.5	50	MAM156.155
		G1 1/4	200	58.5	20	20	28.5	28.5	50	MAM156.156
	G1 1/2	G1 1/4	180	59	22	20	33	28.5	54	MAM157.156
		G1 1/2	180	61	22	22	33	33	54	MAM157.157
	G2	G2	150	70	25	25	46	46	70	MAM158.158

连接配件

带有60° 锥度的G牙外螺纹*带有60° 锥度的G牙外螺纹
G External threads with 60° taper*G External threads with 60° taper





304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/8	G1/8	440	24	8	8	4	4	14	MAM150.150/IC
	G1/4	G1/8	420	27	11	8	5.5	4	17	MAM151.150/IC
		G1/4	420	30	11	11	5.5	5.5	17	MAM151.151/IC
	G3/8	G1/4	350	31	12	11	8	5.5	21	MAM152.151/IC
		G3/8	350	32	12	12	8	8	23	MAM152.152/IC
	G1/2	G3/8	310	36.5	14	12	11	8	27	MAM153.152/IC
		G1/2	310	36	14	14	11	11	24	MAM153.153/IC
	G3/4	G3/8	250	39	16	12	17	11	30	MAM154.152/IC
		G1/2	250	41	16	14	17	11	29	MAM154.153/IC
		G3/4	250	42	16	16	17	17	30	MAM154.154/IC
	G1	G3/4	200	47	20	16	22.5	17	38	MAM155.154/IC
		G1	200	53	20	20	22.5	22.5	38	MAM155.155/IC
	G1 1/2	G1 1/2	180	60	21	21	33	33	55	MAM157.157/IC

连接配件

PT牙外螺纹*PT牙外螺纹
PT External threads*PT External threads




铜 Brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	PT1/8	PT1/8	150	19.5	7.5	7.5	5.5	5.5	12	MAM160.160/LN
	PT1/4	PT1/8	100	23.5	11	7.5	8	5.5	14	MAM161.160/LN
		PT1/4	100	27	11	11	8	8	14	MAM161.161/LN
	PT3/8	PT1/8	75	24	11.5	7.5	11	5.5	17	MAM162.160/LN
		PT1/4	75	27.5	11.5	11	11	8	17	MAM162.161/LN
		PT3/8	75	28	11.5	11.5	11	11	17	MAM162.162/LN
	PT1/2	PT1/8	50	27	14	7.5	15	5.5	22	MAM163.160/LN
		PT1/4	50	30.5	14	11	15	8	22	MAM163.161/LN
		PT3/8	50	31	14	11.5	15	11	22	MAM163.162/LN
		PT1/2	50	33.5	14	14	15	15	22	MAM163.163/LN
	PT3/4	PT1/2	50	37.5	16.5	11.5	19	15	27	MAM164.163/LN
		PT3/4	50	40	16.5	16.5	19	19	27	MAM164.164/LN
	PT1	PT3/4	50	43	19	16.5	24	19	34	MAM165.164/LN
		PT1	50	45.5	19	19	24	24	34	MAM165.165/LN

连接配件

PT牙外螺纹*PT牙外螺纹

PT External threads*PT External threads





304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	PT1/4	PT1/8	250	31	12	12	8	5.5	14	MAM161.160/IC
	PT3/8	PT1/8	250	33	13	12	11	5.5	19	MAM162.160/IC
		PT1/4	250	34	13	13	11	8	19	MAM162.161/IC
	PT1/2	PT1/8	250	36	16	12	15	5.5	22	MAM163.160/IC
		PT1/4	250	40	16	16	15	8	22	MAM163.161/IC
		PT3/8	250	40	16	16	15	11	22	MAM163.162/IC
	PT3/4	PT1/4	160	39	17	12	19	7	27	MAM164.161/IC
		PT3/8	160	43	17	16	19	11	27	MAM164.162/IC
		PT1/2	160	44	17	17	19	15	27	MAM164.163/IC
		PT3/4	160	51	16.5	16.5	19	19	30	MAM164.164/IC
	PT1	PT3/8	160	46	20	16	24	11	35	MAM165.162/IC
		PT1/2	160	47	20	17	24	14	35	MAM165.163/IC
		PT3/4	160	50	20	20	24	19	35	MAM165.164/IC
	PT1 1/4	PT1/2	120	48	22	17	31	15	46	MAM166.163/IC
		PT3/4	120	52	22	20	31	19	46	MAM166.164/IC
		PT1	120	54	22	22	31	24	46	MAM166.165/IC
		PT1 1/4	120	54	22	22	31	31	46	MAM166.166/IC
	PT1 1/2	PT3/4	120	52	22	20	37	19	50	MAM167.164/IC
		PT1	120	52	22	20	37	24	50	MAM167.165/IC
		PT1 1/2	50	54	22	22	37	37	50	MAM167.167/IC
	PT2	PT2	50	64	26	26	37	47	63	MAM168.168/IC

连接配件

90° PT牙外螺纹*PT牙外螺纹
90° PT External threads*PT External threads




铜 Brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)					零件号 Part-number
	F1	F2		L1	L2	Φd1	Φd2	H	
MAM	PT1/8	PT1/8	150	18	7.5	5.5	5.5	11	MAM160.160/RE/LN
	PT1/4	PT1/4	100	24	11	8	8	13	MAM161.161/RE/LN
	PT3/8	PT3/8	75	27	12	11	11	17	MAM162.162/RE/LN
	PT1/2	PT1/2	50	29.5	14	15	15	20	MAM163.163/RE/LN
	PT3/4	PT3/4	50	32	14.5	19	19	27	MAM164.164/RE/LN
	PT1	PT1	50	39	16.8	24	24	30	MAM165.165/RE/LN

连接配件

带有60° 锥度的G牙外螺纹*PT牙外螺纹
G External threads with 60° taper*PT External threads





镀锌钢 Zinc plated steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/4	PT1/8	420	28	12	10	6	4.5	19	MAM151.160
		PT1/4	420	32	12	14	6	6	19	MAM151.161
		PT3/8	310	35	11	15	4.7	10	19	MAM151.162
	G3/8	PT1/4	350	35.5	13.5	14.5	9	6	22	MAM152.161
		PT3/8	310	35.5	13.5	15	9	9	22	MAM152.162
		PT1/2	290	40	12	19	7.9	13	22	MAM152.163
	G1/2	PT3/8	310	40	16	15	11.5	9	27	MAM153.162
		PT1/2	290	45.5	16	20	11.5	11.5	27	MAM153.163
	G3/4	PT1/2	250	49.5	18.5	20	17	12	32	MAM154.163
		PT3/4	250	48.5	18.5	20	16.7	16.7	32	MAM154.164
		PT1	200	51	16	24	16.7	24	36	MAM154.165
	G1	PT3/4	200	53	20.5	20	23	17	41	MAM155.164
		PT1	200	58	20.5	25.5	22.2	22.2	41	MAM155.165
		PT1 1/4	200	56	22.5	26.5	23	30	46	MAM155.166
	G1 1/4	PT1	200	61	22.5	25.5	30	23	50	MAM156.165
		PT1 1/4	200	62	22.5	26.5	30	30	50	MAM156.166
		PT1 1/2	200	62	22.5	26.5	30	35	50	MAM156.167
	G1 1/2	PT1 1/4	180	63	22	25	31	31	55	MAM157.166
		PT1 1/2	180	64.5	23	26.5	35	35	55	MAM157.167
	G2	PT2	180	74	25	30	46	46	70	MAM158.168

连接配件

带有60° 锥度的G牙外螺纹*PT牙外螺纹
G External threads with 60° taper*PT External threads




铜 Brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/4	PT1/4	420	31.5	11	13.5	6	6	17	MAM151.161/LN
	G3/8	PT3/8	310	32.5	12	14.5	9	9	17	MAM152.162/LN
	G1/2	PT1/2	290	45.5	16	20	11.5	11.5	27	MAM153.163/LN
	G3/4	PT3/4	250	47	16	19	16.7	16.7	32	MAM154.164/LN
	G1	PT1	200	53	19	24	22.2	22.2	36	MAM155.165/LN

连接配件

带有60°锥度的G牙外螺纹*NPT牙螺纹
G External threads with 60° taper*NPT External threads



镀锌钢 Zinc plated steel


型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	Φd1	Φd2	H	
MAM	G1/4	NPT1/8	420	28	12	10.5	6	4.5	19	MAM151.250
		NPT1/4	420	33.5	12	15	6	6	19	MAM151.251
		NPT3/8	310	34	11	14	4.7	9	19	MAM151.252
	G3/8	NPT1/4	350	36	13.5	15	9	6	22	MAM152.251
		NPT3/8	310	37.5	13.5	16	9	9	22	MAM152.252
		NPT1/2	290	41	13.5	19.5	9	12	22	MAM152.253
	G1/2	NPT3/8	310	42	16	16	12	9	27	MAM153.252
		NPT1/2	290	43	14	19.5	11	11	27	MAM153.253
		NPT3/4	250	46	16	19.5	12	17	30	MAM153.254
	G3/4	NPT1/2	250	49	18.5	19.5	17	12	32	MAM154.253
		NPT3/4	250	49	18.5	19.5	17	17	32	MAM154.254
		NPT1	200	55	18.5	25.5	17	23	36	MAM154.255
	G1	NPT3/4	200	53	20.5	19.5	23	17	41	MAM155.254
		NPT1	200	54	19	24	21.5	21.5	41	MAM155.255
		NPT1 1/4	200	60	20.5	26.5	23	30	46	MAM155.256
	G1 1/4	NPT1	200	61	20.5	25.5	30	23	50	MAM156.255
		NPT1 1/4	200	62	20.5	26.5	30	30	50	MAM156.256
	G1 1/2	NPT1 1/2	180	66	23	27.5	35	35	55	MAM157.257
	G2	NPT2	180	70	25	26.5	46	46	70	MAM158.258

连接配件

RMF

PT牙外螺纹*G牙内螺纹

PT External threads * G Inner threads




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
	F1	F2		L1	L2	Φd1	H	
RMF	PT1/8	G1/8	150	20	7.5	5.5	14	RMF160.100/LN
		G1/4	100	22	7.5	5.5	17	RMF160.101/LN
		G3/8	75	23	7.5	5.5	22	RMF160.102/LN
	PT1/4	G1/4	100	26	11	8	17	RMF161.101/LN
		G3/8	75	27	11	8	22	RMF161.102/LN
		G1/2	50	30	11	8	26	RMF161.103/LN
	PT3/8	G3/8	75	27.5	11.5	11	22	RMF162.102/LN
		G1/2	50	30.5	11.5	11	22	RMF162.103/LN
	PT1/2	G1/2	50	33	14	15	26	RMF163.103/LN
		G3/4	50	35	14	15	32	RMF163.104/LN

连接配件

PT牙外螺纹*G牙内螺纹

PT External threads * G Inner threads




304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
	F1	F2		L1	L2	Φd1	H	
RMF	PT1/8	G1/4	250	23	9	5.5	17	RMF160.101/IC
		G3/8	250	26	9	5.5	22	RMF160.102/IC
	PT1/4	G1/4	250	26	12	8	17	RMF161.101/IC
		G3/8	250	27	10	8	22	RMF161.102/IC
		G1/2	250	31	12	8	27	RMF161.103/IC
		G3/4	160	31	10	8	35	RMF161.104/IC
	PT3/8	G3/8	250	29	12	11	22	RMF162.102/IC
		G1/2	250	31	12	11	27	RMF162.103/IC
		G3/4	160	33	12	12	35	RMF162.104/IC
	PT1/2	G1/2	250	33	15	15	27	RMF163.103/IC
		G3/4	160	37	16	15	35	RMF163.104/IC
		G1	160	40	16	15	41	RMF163.105/IC
	PT3/4	G3/4	160	40	17	20	32	RMF164.104/IC
		G1	120	41	17	20	40	RMF164.105/IC
		G1 1/4	120	43	17	20	50	RMF164.106/IC
	PT1	G1	160	46	20	25	38	RMF165.105/IC
		G1 1/4	120	46	20	25	50	RMF165.106/IC
		G1 1/2	120	47	20	25	55	RMF165.107/IC
	PT1 1/4	G1 1/4	120	50	22	32	46	RMF166.106/IC
	PT1 1/2	G1 1/2	120	50	23	40	55	RMF167.107/IC
	PT2	G2	80	57	26	50	64	RMF168.108/IC

连接配件

PT牙外螺纹*G牙内螺纹-紧凑形式

PT External threads * G Inner threads-Compact form





镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
	F1	F2		L1	L2	Φd1	H	
RMF	PT1/4	G1/8	100	16	11	5.5	14	RMF161.100/LN
	PT3/8	G1/8	75	16.5	11.5	5.5	17	RMF162.100/LN
		G1/4	75	16.5	11.5	5.5	17	RMF162.101/LN
	PT1/2	G1/8	50	19.5	14	8	22	RMF163.100/LN
		G1/4	50	19.5	14	8	22	RMF163.101/LN
		G3/8	50	19.5	14	8	22	RMF163.102/LN
	PT3/4	G3/8	50	23.5	16.5	11	27	RMF164.102/LN
		G1/2	50	23.5	16.5	11	27	RMF164.103/LN
	PT1	G1/2	50	26.5	19	15	34	RMF165.103/LN
		G3/4	50	26.5	19	15	34	RMF165.104/LN

连接配件

PT牙外螺纹*G牙内螺纹-紧凑形式
PT External threads * G Inner threads-Compact form




304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
	F1	F2		L1	L2	Φd1	H	
RMF	PT1/4	G1/8	160	19	12	9	14	RMF161.100/IC
	PT3/8	G1/8	250	21	13	9	19	RMF162.100/IC
		G1/4	160	21	13	12	19	RMF162.101/IC
	PT1/2	G1/8	250	24	16	9	22	RMF163.100/IC
		G1/4	250	24	16	12	22	RMF163.101/IC
		G3/8	160	24	16	15.5	22	RMF163.102/IC
	PT3/4	G1/4	160	27	17	12	27	RMF164.101/IC
		G3/8	160	27	17	15.5	27	RMF164.102/IC
		G1/2	120	27	17	19	27	RMF164.103/IC
	PT1	G3/8	160	30	20	15.5	35	RMF165.102/IC
		G1/2	160	30	20	19	35	RMF165.103/IC
		G3/4	120	30	20	24.5	35	RMF165.104/IC
	PT1 1/4	G1/2	120	32	22	19	46	RMF166.103/IC
		G3/4	120	32	22	24.5	46	RMF166.104/IC
		G1	80	32	22	30.5	46	RMF166.105/IC

连接配件

G牙外螺纹*G牙内螺纹

G External threads * G Inner threads




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
	F1	F2		L1	L2	Φd1	H	
RMF	G1/4	G1/4	100	29	11	6.5	17	RMF151.101/LN
	G3/8	G3/8	75	33	12	10	22	RMF152.102/LN
	G1/2	G1/2	50	46	14	12	27	RMF153.103/LN

G牙外螺纹*G牙内螺纹-紧凑形式

G External threads * G Inner threads-Compact form




连接配件

镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)			零件号 Part-number
	F1	F2		L1	L2	H	
RMF	G3/8	G1/8	75	14	10	19	RMF152.100/LN
		G1/4	75	14	11	19	RMF152.101/LN

90°PT牙外螺纹*G牙内螺纹
90° PT External threads*G Inner threads



镀镍黄铜 Nickel plated brass


型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)						零件号 Part-number
	F1	F2		L1	L2	L3	ΦD	Φd1	H	
RMF	PT1/8	G1/8	150	18.5	7.5	21	13	5.5	11	RMF160.100/RE/LN
	PT1/4	G1/4	100	24	11	25.5	16.5	8	13	RMF161.101/RE/LN
	PT3/8	G3/8	75	27	11.5	28	20.5	11	17	RMF162.102/RE/LN
	PT1/2	G1/2	50	29.5	14	32	25	15	20	RMF163.103/RE/LN
	PT3/4	G3/4	50	32	14.5	36.5	32	19	27	RMF164.104/RE/LN
	PT1	G1	50	39	16	45	39	24	30	RMF165.105/RE/LN

连接配件

MAN

G牙内螺纹*G牙内螺纹

G Inner threads * G Inner threads




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)		零件号 Part-number
	F1	F2		L1	H	
MAN	G1/8	G1/8	150	15	14	MAN100.100/LN
	G1/4	G1/8	100	19	17	MAN101.100/LN
		G1/4	100	22	17	MAN101.101/LN
	G3/8	G1/8	75	20	22	MAN102.100/LN
		G1/4	75	23	22	MAN102.101/LN
		G3/8	75	24	22	MAN102.102/LN
	G1/2	G1/8	50	24	24	MAN103.100/LN
		G1/4	50	25	24	MAN103.101/LN
		G3/8	50	27.5	24	MAN103.102/LN
		G1/2	50	30	26	MAN103.103/LN
	G3/4	G1/2	50	30	30	MAN104.103/LN
		G3/4	50	32	32	MAN104.104/LN
	G1	G3/4	50	41	40	MAN105.104/LN
		G1	50	43	40	MAN105.105/LN

连接配件

G牙内螺纹*G牙内螺纹
G Inner threads * G Inner threads




304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)		零件号 Part-number
	F1	F2		L1	H	
MAN	G1/4	G1/8	250	23	17	MAN101.100/IC
	G3/8	G1/8	250	25	22	MAN102.100/IC
		G1/4	250	27	22	MAN102.101/IC
	G1/2	G1/8	250	33	27	MAN103.100/IC
		G1/4	250	31	27	MAN103.101/IC
		G3/8	250	31	27	MAN103.102/IC
	G3/4	G1/4	160	34	35	MAN104.101/IC
		G3/8	160	32	35	MAN104.102/IC
		G1/2	160	34	35	MAN104.103/IC
	G1	G3/8	160	33	40	MAN105.102/IC
		G1/2	160	35	40	MAN105.103/IC
		G3/4	160	36	40	MAN105.104/IC
	G1 1/4	G1/2	120	34	50	MAN106.103/IC
		G3/4	120	35	50	MAN106.104/IC
		G1	120	35	50	MAN106.105/IC
	G1 1/2	G3/4	120	39	55	MAN107.104/IC
		G1	120	39	55	MAN107.105/IC

连接配件

90°G牙内螺纹*G牙内螺纹
90° G Inner threads*G Inner threads



镀镍黄铜 Nickel plated brass


型号 Mould	螺纹THRD		M.W.P (bar)	尺寸 Dimensions(mm)			零件号 Part-number
	F1	F2		L1	ØD	H	
MAN	G1/8	G1/8	150	21	13	11	MAN100.100/RE/LN
	G1/4	G1/4	100	25.5	16.5	13	MAN101.101/RE/LN
	G3/8	G3/8	75	28	20.5	17	MAN102.102/RE/LN
	G1/2	G1/2	50	32	26	20	MAN103.103/RE/LN
	G3/4	G3/4	50	36.5	32	27	MAN104.104/RE/LN
	G1	G1	50	45	39	30	MAN105.105/RE/LN

连接配件

AF

G牙外螺纹-软管连接

G External threads-Hose connection



镀镍黄铜 Nickel plated brass


型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	G1/4	8	41	23	11	6	17	AF151.08/LN
		10	41	23	11	7.5	17	AF151.10/LN
		12	46	28	11	7.5	17	AF151.12/LN
	G3/8	10	47	28	12	7	19	AF152.10/LN
		12	47	28	12	9	19	AF152.12/LN

镀锌钢 Zinc plated steel

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	G1/8	4	43	28	8	3	14	AF150.04
		6	43	28	8	4	14	AF150.06
		8	43	28	8	5.5	14	AF150.08
		10	43	28	8	5.5	14	AF150.10
	G1/4	6	46	28	11	4	17	AF151.06
		8	46	28	11	5.5	17	AF151.08
		9	46	28	11	7	17	AF151.09
		10	46	28	11	7	17	AF151.10
		13	51	28	11	8	17	AF151.13
	G3/8	8	47	28	12	5.5	19	AF152.08
		10	47	28	12	7	19	AF152.10
		13	52	33	12	9	19	AF152.13
		16	52	33	12	11	23	AF152.16
	G1/2	13	54	33	14	9	23	AF153.13
		16	54	33	14	11	23	AF153.16
	G3/4	16	58	33	16	11	29	AF154.16

连接配件

G牙外螺纹-软管连接 G External threads-Hose connection



光亮镀镍钢 Bright nickel plated steel

型号 Mould	螺纹THRD F	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
			L1	L2	L3	Φd	H	
AF	G1/8	4	43	28	8	3	14	AF150.04/IA
		6	43	28	8	4	14	AF150.06/IA
		8	43	28	8	5.5	14	AF150.08/IA
		10	43	28	8	5.5	14	AF150.10/IA
	G1/4	6	46	28	11	4	17	AF151.06/IA
		8	46	28	11	5.5	17	AF151.08/IA
		10	46	28	11	7	17	AF151.10/IA
		13	51	33	11	8	17	AF151.13/IA
	G3/8	13	52	33	12	9	19	AF152.13/IA
	G1/2	13	54	33	14	9	23	AF153.13/IA
		16	54	33	14	11	23	AF153.16/IA


304不锈钢 304 stainless steel

型号 Mould	螺纹THRD F	软管内径 HOSE I.D	尺寸 Dimensions(mm)					无色环零件号 Part-numbers
			L1	L2	L3	Φd	H	
AF	G1/4	6	46	28	11	4	17	AF151.06/IC
		8	46	28	11	5.5	17	AF151.08/IC
		10	46	28	11	7	17	AF151.10/IC
		13	51	33	11	8	17	AF151.13/IC
	G3/8	10	47	28	12	7	19	AF152.10/IC
		13	52	33	12	9	19	AF152.13/IC
	G1/2	16	54	33	14	11	23	AF153.16/IC

连接配件

NPT牙外螺纹-软管连接

NPT External threads-Hose connection





镀锌钢 Zinc plated steel

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	NPT1/4	6	50	28	15	4	17	AF251.06
		8	50	28	15	5.5	17	AF251.08
		10	50	28	15	7	17	AF251.10
		13	55	33	15	8	17	AF251.13
	NPT3/8	10	50	28	15	7	19	AF252.10
		13	55	33	15	9	19	AF252.13
	NPT1/2	13	59	33	19	9	23	AF253.13

90°G牙外螺纹-软管连接

90° G External threads-Hose connection




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)						零件号 Part-number
	F		L1	L2	L3	L4	Φd	H	
AF	G1/4	8	35	23	11	20	5.5	17	AF151.08/RE
		10	35	23	11	20	7	17	AF151.10/RE
	G3/8	10	42	28	12	22	7	21	AF152.10/RE
		12	42	28	12	22	10	21	AF152.12/RE
	G1/2	16	44	28	14	28	12	25	AF153.16/RE

连接配件

G牙外螺纹-加长型软管连接
G External threads-Extended hose connection




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	G1/8	8	61	46	8	5.5	14	AF150.08/G2/LN
		10	61	46	8	5.5	14	AF150.10/G2/LN
	G1/4	6	64	46	11	4	17	AF151.06/G2/LN
		8	64	46	11	5.5	17	AF151.08/G2/LN
		10	64	46	11	7	17	AF151.10/G2/LN
		13	71	53	11	8	17	AF151.13/G2/LN
	G3/8	13	72	53	12	9	19	AF152.13/G2/LN
		16	72	53	12	11	23	AF152.16/G2/LN
		19	72	53	12	11	23	AF152.19/G2/LN
	G1/2	13	74	53	14	9	23	AF153.13/G2/LN
		16	74	53	14	11	23	AF153.16/G2/LN
		19	74	53	14	12	23	AF153.19/G2/LN
	G3/4	19	78	53	16	15	29	AF154.19/G2/LN
		25	80	53	16	19	35	AF154.25/G2/LN
	G1	19	84	53	20	15	35	AF155.19/G2/LN
		25	84	53	20	19	35	AF155.25/G2/LN

连接配件

G牙外螺纹-加长型软管连接

G External threads-Extended hose connection



镀锌钢 Zinc plated steel


型号 Mould	螺纹THRD F	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
			L1	L2	L3	Φd	H	
AF	G1/8	8	61	46	8	5.5	14	AF150.08/G2
		10	61	46	8	5.5	14	AF150.10/G2
	G1/4	6	64	46	11	4	17	AF151.06/G2
		8	64	46	11	5.5	17	AF151.08/G2
		10	64	46	11	7	17	AF151.10/G2
		13	71	53	11	8	17	AF151.13/G2
	G3/8	13	72	53	12	9	19	AF152.13/G2
		16	72	53	12	11	23	AF152.16/G2
		19	72	53	12	11	23	AF152.19/G2
	G1/2	13	74	53	14	9	23	AF153.13/G2
		16	74	53	14	11	23	AF153.16/G2
		19	74	53	14	12	23	AF153.19/G2
	G3/4	19	78	53	16	15	29	AF154.19/G2
		25	80	53	16	19	35	AF154.25/G2
	G1	19	84	53	20	15	35	AF155.19/G2
		25	84	53	20	19	35	AF155.25/G2

连接配件 304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD F	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
			L1	L2	L3	Φd	H	
AF	G1/2	19	74	53	14	11	23	AF153.19/G2/IC
	G3/4	19	78	53	16	15	29	AF154.19/G2/IC
		25	80	53	16	19	35	AF154.25/G2/IC
	G1	25	84	53	20	19	41	AF155.25/G2/IC

G牙外螺纹-带密封圈的自锁软管接头

G External threads-Self-locking hose connector with sealing ring



黄铜 Brass


型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	G1/8	1/4"	37	21	8	4.9	15	AF150.06/CN
	G1/4	1/4"	37	21	9	4.9	19	AF151.06/CN
		3/8"	40.5	24.5	9	7.8	19	AF151.10/CN
		1/2"	47	29	9	7.8	19	AF151.13/CN
	G3/8	3/8"	42	24.5	9.5	7.8	22	AF152.10/CN
		1/2"	49	29	9.5	10.4	22	AF152.13/CN
		5/8"	56	36.5	9.5	13.5	24	AF152.16/CN
	G1/2	1/2"	50.5	29	11.5	10.4	27	AF153.13/CN
		5/8"	58	36.5	11.5	13.5	27	AF153.16/CN

304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	G1/4	1/4"	37	21	9	8	19	AF151.06/IC/CN
	G3/8	3/8"	42	24.5	9.5	8	22	AF152.10/IC/CN
	G1/2	1/2"	50.5	29	11.5	10.5	27	AF153.13/IC/CN

连接配件


PT牙外螺纹-自锁软管接头
PT External threads-Self-locking hose connector



黄铜 Brass

型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)					零件号 Part-number
	F		L1	L2	L3	Φd	H	
AF	PT1/8	1/4"	37	21	7.5	4.9	15	AF160.06/CN
	PT1/4	1/4"	40	21	11	4.9	19	AF161.06/CN
		3/8"	40.5	24.5	11	7.8	19	AF161.10/CN
	PT3/8	3/8"	42	24.5	11.5	7.8	22	AF162.10/CN
		1/2"	49	29	11.5	10.4	22	AF162.13/CN
	PT1/2	1/2"	50.5	29	14	10.4	27	AF163.13/CN
		5/8"	58	36.5	14	13.5	27	AF163.16/CN
	PT3/4	5/8"	65	36.5	16.5	13.5	32	AF164.16/CN
		3/4"	68	43	16.5	15	32	AF164.19/CN

90°G牙外螺纹-带密封圈的自锁软管接头
90° G External threads-Self-locking hose connector with sealing ring



镀镍黄铜 Nickel plated brass



型号 Mould	螺纹THRD	软管内径 HOSE I.D	尺寸 Dimensions(mm)						零件号 Part-number
	F		L1	L2	L3	L4	Φd	H	
AF	G3/8	3/8"	38.5	24.5	9.5	22	5.5	21	AF152.10/CN/RE
		1/2"	43	29	9.5	22	7	21	AF152.13/CN/RE
	G1/2	5/8"	52.5	36.5	14	28	7	26	AF153.16/CN/RE
		3/4"	62	43	14	32	10	26	AF153.19/CN/RE
	G3/4	3/4"	62	43	16	34	12	26	AF154.19/CN/RE

连接配件

BOU

内六角，内嵌有密封件

Inner hexagon-with intergrated sealing




镀镍黄铜 Nickel plated brass

型号 Mould	螺纹THRD F	M.W.P (bar)	尺寸 Dimensions(mm)				零件号 Part-number
			L1	L2	ΦD	H	
BOU	G1/8	150	8.5	6	14	5	BOU150/HC/LN
	G1/4	100	11	8	17	6	BOU151/HC/LN
	G3/8	75	12.5	12.5	20	8	BOU152/HC/LN
	G1/2	50	13.5	13.5	25	10	BOU153/HC/LN

外六角

Outer hexagonal



304不锈钢 304 Stainless Steel

型号 Mould	螺纹THRD F	M.W.P (bar)	尺寸 Dimensions(mm)			零件号 Part-number
			L1	L2	H	
BOU	G1/8	250	15	10	14	BOU150/IC
	G1/4	250	15	10	17	BOU151/IC
	G3/8	250	17	11	21	BOU152/IC
	G1/2	250	20	12	27	BOU153/IC
	G3/4	160	22	13	32	BOU154/IC
	G1	160	22	13	41	BOU155/IC
	G1 1/4	120	25	16	48	BOU156/IC

连接配件

软管锁紧双耳卡箍
Hose lock double ear clamps




镀锌钢 Zinc plated steel

型 号 Mould	软管内径 HOSE I.D		零 件 号 Part-number
	MIN.	MAX.	
CL	5	7	CL 1007
	7	9	CL 1009
	9	11	CL 1011
	11	13	CL 1013
	13	15	CL 1015
	14	17	CL 1017
	15	18	CL 1018
	17	20	CL 1020
	19	21	CL 1021
	20	23	CL 1023
	22	25	CL 1025
	23	27	CL 1029
	25	28	CL 1038
	27	31	CL 1031
	31	34	CL 1034
	34	37	CL 1037
	37	40	CL 1040
	40	43	CL 1043
	43	46	CL 1046

304不锈钢 304 Stainless Steel

型 号 Mould	软管内径 HOSE I.D		零 件 号 Part-number
	MIN.	MAX.	
CL	3	5	CL 1005/IB
	5	7	CL 1007/IB
	7	9	CL 1009/IB
	9	11	CL 1011/IB
	11	13	CL 1013/IB
	13	15	CL 1015/IB
	14	17	CL 1017/IB
	15	18	CL 1018/IB
	17	20	CL 1020/IB
	19	21	CL 1021/IB
	22	23	CL 1023/IB
	23	25	CL 1025/IB
	25	28	CL 1028/IB
	27	31	CL 1031/IB
	31	34	CL 1031/IB
	34	37	CL 1037/IB
	37	40	CL 1040/IB
	40	43	CL 1043/IB
	43	46	CL 1046/IB

软管锁紧喉箍
Hose tight throat straps



镀锌钢 Zinc plated steel

型号 Mould	尺寸 Dimensions(mm)						紧固扭矩(N.m)	零件号 Part-number
	MAX.I.D	MAN.I.D	L1(MAX)	L2	L3	L4	Dightening torque	
ABA	16.5	8	15	19.5	13	9	3.0-4.0	ABA 8-14
	19.5	11	18	19.5	13	9	3.0-4.0	ABA 11-17
	22.5	13	21	21.5	16	9	3.0-4.0	ABA 13-20
	27	15	25	21.5	16	12.2	4.0-5.0	ABA 15-24
	31	19	29	23.5	16	12.2	4.0-5.0	ABA 19-28
	35.5	22	33	23.5	16	12.2	4.0-5.0	ABA 22-32
	41.5	26	39	25.5	16	12.2	4.0-5.0	ABA 26-38
	48	32	45	29.5	16	12.2	4.5-5.5	ABA 32-44
	54	38	51	29.5	16	12.2	4.5-5.5	ABA 38-50
	60	44	57	29.5	16	12.2	4.5-5.5	ABA 44-56
	69	50	66	32.5	16	12.2	4.5-5.5	ABA 50-65
	79	58	76	32.5	16	12.2	4.5-5.5	ABA 58-75
	89	68	86	32.5	16	12.2	4.5-5.5	ABA 68-85
	99	77	96	32.5	16	12.2	4.5-5.5	ABA 77-95
	116	87	113	32.5	16	12.2	4.5-5.5	ABA 87-12
	142	104	139	32.5	16	12.2	4.5-5.5	ABA 104-138
	169	130	166	32.5	16	12.2	4.5-5.5	ABA 130-165
	184	150	181	32.5	16	12.2	4.5-5.5	ABA 150-180

连接配件

Peiline®



- 1、产品最终尺寸和外观以实样为准。
Final dimension and apperance subject to actual product.
- 2、任何产品技术与工艺上的改进不能及时通知到你，敬请谅解。
We appreciate your understanding to us in case of some technology and product process improvements not inform you in time.

浙江樂樂智能流体科技有限公司

ZHEJIANG SHENSHEN INTELLINGEN TFLUID TECHNOLOGY CO.,LTD

诸暨爱克圣兰模具有限公司

ZHUJI EXCELLENT MOULD CO.,LTD

地址：浙江省诸暨市兴农路9号友地智能视觉产业园28幢A座

Add: Building A, No.28, UD Intelligent Vision Industrial Park.

No.9. Xinong Road.Zhuji City. Zhejiang. China

Tel: 0575-87958839

Fax: 0575-87958837

Mail: hzpeilin@126.com

hzaksl@126.com

Web: www.peiline.com