

Peiline®



燚燚智能流体科技
ShenShen Intelligent Fluid Technology

组合板系列-SMP
Combination board series



使用条件/Conditions of use


密封 Sealing	温度范围 Working pemteratures	最大工作压力 Maximum working pressure
氟素橡胶 FKM	-10℃至+120℃	180bar

SMP36多接头组合板
SMP36 Multi-joints

设备侧
Press side

SMP36移动组合板
SMP36 mobile multi-coupling plates on press side


配备 5 个单向阀，带M16*1.5、G3/8或NPT3/8外螺纹
Fitted with 5 shut-off sockets threaded male M16*1.5、G3/8 or NPT3/8



组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP36	5个M16×1.5外螺纹插口	SMP36.1416/JV
	5个G3/8外螺纹插口	SMP36.1152/JV
	5个NPT3/8外螺纹插口	SMP36.1252/JV

配备5个单向阀，带G3/8或NPT3/8内螺纹
Fitted with 5 shut-off sockets threaded 3/8" BSP or NPT female




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP36	5个G3/8内螺纹插口	SMP36.1102/JV
	5个NPT3/8内螺纹插口	SMP36.1202/JV

模具侧
Mould side

SMP36模具侧固定组合板
SMP36 fixed multi-coupling plates on mould side

配有5个防溢平端面插头
Fitted with 5non-spill flat end plugs




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP36	5个CBI06.5151/JV(N00466506)插头	SMP36.7151/JV
		N00550903

CBI06 用于SMP36组合板的接头
CBI06 Joints for SMP36*

组合板配件
Multi-couplings fittings

用于SMP36移动组合板(参见178)
Fitting on SMP36 mobile multi-coupling plates for press side
(see § 178)




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP36	M16×1.5外螺纹(N00567506)	CBI06.2416/IA
	G3/8外螺纹	CBI06.2152/IA
	NPT3/8外螺纹	CBI06.2252/IA

用于SMP36移动组合板(参见179)


Fitting on SMP36 mobile multi-coupling plates for press side
(see § 179)



型号 Mould	规格描述 Specification description	零件号 Part-number
SMP36	G3/8内螺纹	CBI06.2102/IA
	NPT3/8内螺纹	CBI06.2202/IA

用于模具侧的SMP36固定组合板(参见180)

For SMP36 fixed multi-coupling plates on mould side (see § 180)



组合板
SMP


型号 Mould	规格描述 Specification description	零件号 Part-number
CBI06	G1/4螺纹 (N00466506)	CBI06.5151/IA

SMP48多接头组合板
SMP48 Multi-joints

设备侧
Press side

SMP48移动组合板
SMP48 mobile multi-coupling plates on press side

配有 2个带内螺纹的防溢平端面HVB08螺塞(1个回路)
Fitted with 2non-spill, flush faaced HVB08 plugs(1circuits) with female thread




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	带2个G3/8内螺纹接头	SMP48.02.1102/JV
	带2个NPT3/8内螺纹接头	SMP48.02.1202/JV
	带2个G1/2内螺纹接头	SMP48.02.1103/JV
	带2个NPT1/2内螺纹接头	SMP48.02.1203/JV
	带2个UN9/16内螺纹接头	SMP48.02.1314/JV

配有4个带内螺纹的防溢平端面HVB08螺塞(2个回路)

Fitted with 4non-spill, flush faaced HVB08 plugs (2circuits) with female thread




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	带4个G3/8内螺纹接头	SMP48.04.1102/JV
	带4个NPT3/8内螺纹接头	SMP48.04.1202/JV
	带4个G1/2内螺纹接头	SMP48.04.1103/JV
	带4个NPT1/2内螺纹接头	SMP48.04.1203/JV
	带4个UN9/16内螺纹接头	SMP48.04.1314/JV

配有6个带内螺纹的防溢平端面HVB08螺塞(3个回路)

Fitted with 6non-spill, flush faaced HVB08 plugs(3circuits) with female thread



组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	带6个G3/8内螺纹接头	SMP48.06.1102/JV
	带6个NPT3/8内螺纹接头	SMP48.06.1202/JV
	带6个G1/2内螺纹接头	SMP48.06.1103/JV
	带6个NPT1/2内螺纹接头	SMP48.06.1203/JV
	带6个UN9/16内螺纹接头	SMP48.06.1314/JV

模具侧
Mould side

SMP48模具侧固定组合板
SMP48 fixed multi-coupling plates on mould side

配有2个防溢、平齐面HVB08. 2000/IA/JV插座(1个回路) 内螺纹侧连接
Fitted with 2non-spill, flush faced HVB08. 2000/IA/JV sockets
(1circuits) female thread side connections




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	G3/8内螺纹侧连接	SMP48.02.7102/JV
	NPT3/8内螺纹侧连接	SMP48.02.7202/JV
	G1/2内螺纹侧连接	SMP48.02.7103/JV
	NPT1/2内螺纹侧连接	SMP48.02.7203/JV
	UN9/16内螺纹侧连接	SMP48.02.7314/JV

模具侧
Mould side

SMP48模具侧固定组合板
SMP48 fixed multi-coupling plates on mould side

配有4个防溢、平齐面HVB08. 2000/IA/JV插座(2个回路) 内螺纹侧连接
Fitted with 4non-spill, flush faced HVB08. 2000/IA/JV sockets
(2circuits) female thread side connections




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	G3/8内螺纹侧连接	SMP48.04.7102/JV
	NPT3/8内螺纹侧连接	SMP48.04.7202/JV
	G1/2内螺纹侧连接	SMP48.04.7103/JV
	NPT1/2内螺纹侧连接	SMP48.04.7203/JV
	UN9/16内螺纹侧连接	SMP48.04.7314/JV

模具侧
Mould side

SMP48模具侧固定组合板
SMP48 fixed multi-coupling plates on mould side

配有6个防溢、平齐面HVB08. 2000/IA/JV插座(3个回路) 内螺纹侧连接
Fitted with 6non-spill, flush faced HVB08. 2000/IA/JV sockets
(3circuits) female thread side connections



组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP48	G3/8内螺纹侧连接	SMP48.06.7102/JV
	NPT3/8内螺纹侧连接	SMP48.06.7202/JV
	G1/2内螺纹侧连接	SMP48.06.7103/JV
	NPT1/2内螺纹侧连接	SMP48.06.7203/JV
	UN9/16内螺纹侧连接	SMP48.06.7314/JV

HVB08 用于SMP48组合板的接头


HVB08 Joints for SMP48*

组合板配件

Multi-couplings fittings

用于SMP48移动组合板(参见183到185)

Fitting on SMP48 mobile multi-coupling plates for press side
(see § 183 to185)




型号 Mould	规格描述 Specification description	零件号 Part-number
HVB08	G3/8内螺纹	HVB08.5102/IA/JV
	NPT3/8内螺纹	HVB08.5202/IA/JV
	G1/2内螺纹	HVB08.5103/IA/JV
	NPT1/2内螺纹	HVB08.5203/IA/JV
	UN9/16内螺纹	HVB08.5314/IA/JV

用于模具侧的SMP48固定组合板(参见186到188)

For SMP48 fixed multi-coupling plates on mould side (see § 186 to188)

组合板
SMP




型号 Mould	规格描述 Specification description	零件号 Part-number
HVB08	08通径	HVB08.2000/IA/JV

SMP49多接头组合板
SMP49 Multi-joints

设备侧
Press side

SMP49移动组合板
SMP49 mobile multi-coupling plates on press side

配有 2 个带内螺纹的防溢平端面HVB09螺塞(1个回路)
Fitted with 2non-spill, flush faaced HVB09 plugs(1circuits) with female thread




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	带2个G3/8内螺纹接头	SMP49.02.1102/JV
	带2个NPT3/8内螺纹接头	SMP49.02.1202/JV
	带2个G1/2内螺纹接头	SMP49.02.1103/JV
	带2个NPT1/2内螺纹接头	SMP49.02.1203/JV
	带2个UN9/16内螺纹接头	SMP49.02.1314/JV
	带2个UN3/4内螺纹接头	SMP49.02.1319/JV

配有4个带内螺纹的防溢平端面HVB09螺塞(2个回路)

Fitted with 4non-spill, flush faaced HVB09 plugs(2circuits) with female thread




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	带4个G3/8内螺纹接头	SMP49.04.1102/JV
	带4个NPT3/8内螺纹接头	SMP49.04.1202/JV
	带4个G1/2内螺纹接头	SMP49.04.1103/JV
	带4个NPT1/2内螺纹接头	SMP49.04.1203/JV
	带4个UN9/16内螺纹接头	SMP49.04.1314/JV
	带4个UN3/4内螺纹接头	SMP49.04.1319/JV

配有6个带内螺纹的防溢平端面HVB09螺塞(3个回路)

Fitted with 6non-spill, flush faaced HVB09 plugs(3circuits) with female thread




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	带6个G3/8内螺纹接头	SMP49.06.1102/JV
	带6个NPT3/8内螺纹接头	SMP49.06.1202/JV
	带6个G1/2内螺纹接头	SMP49.06.1103/JV
	带6个NPT1/2内螺纹接头	SMP49.06.1203/JV
	带6个UN9/16内螺纹接头	SMP49.06.1314/JV
	带6个UN3/4内螺纹接头	SMP49.06.1319/JV

模具侧
Mould side

SMP49模具侧固定组合板
SMP49 fixed multi-coupling plates on mould side

配有2个防溢、平齐面HVB09. 2000/IA/JV插座(1个回路) 内螺纹侧连接
Fitted with 2non-spill, flush faced HVB08. 2000/IA/JV sockets
(1circuits) female thread side connections




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	G3/8内螺纹侧连接	SMP49.02.7102/JV
	NPT3/8内螺纹侧连接	SMP49.02.7202/JV
	G1/2内螺纹侧连接	SMP49.02.7103/JV
	NPT1/2内螺纹侧连接	SMP49.02.7203/JV
	UN9/16内螺纹侧连接	SMP49.02.7314/JV
	UN3/4内螺纹侧连接	SMP49.02.7319/JV

模具侧
Mould side

SMP49模具侧固定组合板
SMP49 fixed multi-coupling plates on mould side

配有4个防溢、平齐面HVB09. 2000/IA/JV插座(2个回路) 内螺纹侧连接
Fitted with 4non-spill, flush faced HVB08. 2000/IA/JV sockets
(2circuits) female thread side connections




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	G3/8内螺纹侧连接	SMP49.04.7102/JV
	NPT3/8内螺纹侧连接	SMP49.04.7202/JV
	G1/2内螺纹侧连接	SMP49.04.7103/JV
	NPT1/2内螺纹侧连接	SMP49.04.7203/JV
	UN9/16内螺纹侧连接	SMP49.04.7314/JV
	UN3/4内螺纹侧连接	SMP49.04.7319/JV

模具侧
Mould side

SMP49模具侧固定 组合板
SMP49 fixed multi-coupling plates on mould side

配有6个防溢、平齐面HVB09. 2000/IA/JV插座(3个回路) 内螺纹侧连接
Fitted with 6non-spill, flush faced HVB08. 2000/IA/JV sockets
(3circuits) female thread side connections




组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP49	G3/8内螺纹侧连接	SMP49.06.7102/JV
	NPT3/8内螺纹侧连接	SMP49.06.7202/JV
	G1/2内螺纹侧连接	SMP49.06.7103/JV
	NPT1/2内螺纹侧连接	SMP49.06.7203/JV
	UN9/16内螺纹侧连接	SMP49.06.7314/JV
	UN3/4内螺纹侧连接	SMP49.06.7319/JV

HVB09 用于SMP49组合板的接头
HVB09 Joints for SMP49*

组合板配件
Multi-couplings fittings


用于SMP49移动组合板(参见190到192)
Fitting on SMP49 mobile multi-coupling plates for press side
(see § 190 to 192)



组合板
SMP


型号 Mould	规格描述 Specification description	零件号 Part-number
HVB09	G3/8内螺纹	HVB09.5102/IA/JV
	NPT3/8内螺纹	HVB09.5202/IA/JV
	G1/2内螺纹	HVB09.5103/IA/JV
	NPT1/2内螺纹	HVB09.5203/IA/JV
	UN9/16内螺纹	HVB09.5314/IA/JV
	UN3/4内螺纹	HVB09.5319/IA/JV

用于模具侧的SMP49固定组合板(参见193到195)
For SMP49 fixed multi-coupling plates on mould side (see § 193 to 195)



型号 Mould	规格描述 Specification description	零件号 Part-number
HVB09	09通径	HVB09.2000/IA/JV

用于移动侧组合板的固定挂具
Fixing hanging tool for moving side combined plate



组合板
SMP

型号 Mould	规格描述 Specification description	零件号 Part-number
SMP	用于SMP36/48/49移动组合板(N003.111.93)	SMP40.8900

Peiline®



- 1、产品最终尺寸和外观以实样为准。
Final dimension and apperance subject to actual product.
- 2、任何产品技术与工艺上的改进不能及时通知到你，敬请谅解。
We appreciate your understanding to us in case of some technology and product process improvements not inform you in time.

浙江樂樂智能流体科技有限公司

ZHEJIANG SHENSHEN INTELLINGEN TFLUID TECHNOLOGY CO.,LTD

诸暨爱克圣兰模具有限公司

ZHUJI EXCELLENT MOULD CO.,LTD

地址：浙江省诸暨市兴农路9号友地智能视觉产业园28幢A座

Add: Building A, No.28, UD Intelligent Vision Industrial Park.

No.9. Xinong Road.Zhuji City. Zhejiang. China

Tel: 0575-87958839

Fax: 0575-87958837

Mail: hzpeilin@126.com

hzaksl@126.com

Web: www.peiline.com